

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
42532	N/A	Hach Company	OSHA	English	1

Total Enclosures: 1

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00635

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ManVer ® Hardness Indicator
Catalog Number: 42532

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00635
Chemical Name: Not applicable
CAS No.: Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Hazard: Causes irritation. Flammable. May cause allergic reaction.
Date of MSDS Preparation:
Day: 08
Month: May
Year: 2012

2. COMPOSITION / INFORMATION ON INGREDIENTS

Propylene Glycol

CAS No.: 57-55-6
TSCA CAS Number: 57-55-6
Percent Range: 90.0 - 100.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 20 g/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: No effects anticipated.

Hydroxylamine Hydrochloride

CAS No.: 5470-11-1
TSCA CAS Number: 5470-11-1
Percent Range: 1.0 - 10.0
Percent Range Units: weight / volume
LD50: Oral mouse LD50 = 408 mg/kg
LC50: None reported
TLV: Not established
PEL: Not established
Hazard: Toxic. Causes irritation. May cause allergic reaction.

Isopropanol

CAS No.: 67-63-0
TSCA CAS Number: 67-63-0
Percent Range: < 5.0
Percent Range Units: volume / volume
LD50: Oral rat LD50 = 5045 mg/kg Oral Human LDLo = 2770 mg/kg
LC50: Inhalation rat LCLo = 12000 ppm/8hr
TLV: 400 ppm (500 ppm STEL)

PEL: 400 ppm

Hazard: Flammable. Causes moderate eye irritation.

Calmagite

CAS No.: 3147-14-6

TSCA CAS Number: 3147-14-6

Percent Range: < 0.1

Percent Range Units: weight / volume

LD50: Oral rat LD50 > 5000 mg/kg

LC50: None reported

TLV: Not established

PEL: Not established

Hazard: May cause irritation.

3. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance: Dark red liquid

Odor: Fruity

HARMFUL IF SWALLOWED CAUSES EYE IRRITATION MAY CAUSE SKIN IRRITATION

MAY CAUSE ALLERGIC SKIN REACTION

FLAMMABLE

HMIS:

Health: 2

Flammability: 3

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 1

Flammability: 3

Reactivity: 0

Symbol: Not applicable

Potential Health Effects:

Eye Contact: Causes irritation

Skin Contact: May cause irritation May cause allergic reaction

Skin Absorption: Will be absorbed through the skin. Effects similar to those of ingestion

Target Organs: Central nervous system Red blood cells

Ingestion: Very large doses may cause: central nervous system depression drowsiness dizziness incoordination headache abdominal cramps rapid pulse and respirations convulsions Hydroxylamine Hydrochloride causes a decreased supply of oxygen to the tissues, blue discoloration of the skin, convulsions, drop in blood pressure and coma.

Target Organs: Central nervous system Red blood cells

Inhalation: May cause: irritation of nose and throat

Target Organs: None reported

Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions

Chronic Effects: Chronic overexposure may cause damage to red blood cells

Cancer / Reproductive Toxicity Information:

This product does NOT contain any OSHA listed carcinogens.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

Additional Cancer / Reproductive Toxicity Information: Contains: an experimental mutagen. an experimental teratogen.

Toxicologically Synergistic Products: None reported

4. FIRST AID

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustion generates toxic fumes.

Flash Point: 25.7°C (78.3°F)

Method: Closed cup

Flammability Limits:

Lower Explosion Limits: Not determined

Upper Explosion Limits: Not determined

Autoignition Temperature: Not determined

Hazardous Combustion Products: Toxic fumes of: chlorides carbon monoxide, carbon dioxide.

Fire / Explosion Hazards: May react violently with: strong oxidizers Do not expose to sparks or other ignition sources.

Static Discharge: None reported.

Mechanical Impact: None reported

Extinguishing Media: Alcohol foam.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Releases of this material may contaminate the environment. Remove all combustible material from spill area. Remove all ignition and spark-creating sources from the spill area. Cover spilled liquid with a commercially available flammable liquid sorbent such as vapor barrier blanket or activated carbon to avoid evolution of fumes. Vapors may travel to a source of ignition and flash back. May be ignited by: heat, sparks, or flames. Dike the material to create a barrier to combustibles.

Clean-up Technique: Eliminate all sources of ignition. Do not breathe the fumes. Use only non-sparking tools. Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Filter to remove solids. Flush the spilled material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation.

Special Instructions (for accidental release): Product is regulated as RCRA hazardous waste in the U.S.

304 EHS RQ (40 CFR 355): Not applicable

D.O.T. Emergency Response Guide Number: 132

7. HANDLING / STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: oxidizers Protect from: sparks, flames and other ignition sources

Flammability Class: Class IC

8. EXPOSURE CONTROLS / PROTECTIVE EQUIPMENT

Engineering Controls: Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: oxidizers Protect from: sparks, flames and other ignition sources

TLV: Not established

PEL: Not established

9. PHYSICAL / CHEMICAL PROPERTIES

Appearance: Dark red liquid
Physical State: Liquid
Molecular Weight: Not applicable
Odor: Fruity
pH: 1.09
Vapor Pressure: Not determined
Vapor Density (air = 1): Not determined
Boiling Point: 118°C
Melting Point: Not determined
Specific Gravity/ Relative Density (water = 1; air =1): 1.01
Evaporation Rate (water = 1): 0.05
Volatile Organic Compounds Content: Not determined
Partition Coefficient (n-octanol / water): Not applicable
Solubility:
 Water: Soluble
 Acid: Soluble
 Other: Not determined
Metal Corrosivity:
 Steel: 0.288 in/yr
 Aluminum: 0.001 in/yr

10. STABILITY / REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Conditions to Avoid: Contact with heat, sparks, open flames or other ignition sources. Heating to decomposition.
Reactivity / Incompatibility: Incompatible with: oxidizers
Hazardous Decomposition: Toxic fumes of: chlorides carbon monoxide carbon dioxide
Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Product Toxicological Data:
 LD50: None reported
 LC50: None reported
Dermal Toxicity Data: None reported
Skin and Eye Irritation Data: None reported
Mutation Data: Data reported in RTECS for Isopropanol, Propylene Glycol and Hydroxylamine Hydrochloride
Reproductive Effects Data: Data reported in RTECS for Isopropanol
Ingredient Toxicological Data: Hydroxylamine Hydrochloride: Oral mouse LD₅₀ = 400 mg/kg, Oral mouse LD₅₀ = 408 mg/kg; Propylene Glycol: Oral rat LD₅₀ = 20 g/kg; Isopropanol: Oral human LD_{Lo} = 2770 mg/kg, Oral rat LD₅₀ = 5045 mg/kg

12. ECOLOGICAL INFORMATION

Product Ecological Information: --
 No ecological data available for this product. Mobility in soil: No data available
Ingredient Ecological Information: --
 No ecological data available for the ingredients of this product.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001, D002
Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain.
Empty Containers: Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.
NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Flammable Liquid, Corrosive, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

DOT Hazard Class: 3

DOT Subsidiary Risk: 8

DOT ID Number: UN2924

DOT Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

ICAO Hazard Class: 3

ICAO Subsidiary Risk: 8

ICAO ID Number: UN2924

ICAO Packing Group: III

I.M.O.:

I.M.O. Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.
(<10% Isopropanol/Hydroxylamine Hydrochloride Solution)

I.M.O. Hazard Class: 3

I.M.O. Subsidiary Risk: 8

I.M.O. ID Number: UN2924

I.M.O. Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

C.P.S.C.: Not applicable

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

TSCA CAS Number: Not applicable

16. OTHER INFORMATION

Intended Use: Laboratory Reagent Indicator for hardness

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Fire Protection Guide on Hazardous

Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed.
Quincy, MA: National Fire Protection Association, 1991. In-house information. Technical Judgment.
Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE.
HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA
OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

HACH COMPANY ©2012