SonTek a xylem brand

SonTek Instrumentation Accessories List

Need replacement parts or accessories for your SonTek gear? Use this handy color-coded checklist to help get you started, helping you find quick access to part-numbers and cost per item.

Once you have identified what you need, you can place your order via one of our friendly Customer Support specialists at <u>orders@sontek.com</u> or +1.858.546.8327 ext. 132 or 180.




ADP

Power cord kit (International)

2885-00125











ADP

36-0013-070

70-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub



ADP

Connector, 8-pin male wet plug-

gable dummy plug (DC-8-MP)

6048-08100

ADP

36-0013-100

100-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub



ADP

36-0050-002

Splitter cable, to connect ADP with external battery case (standard, 2-m length)





ADP

6048-95000

\$30

Locking Sleeve for standard wet-pluggable connectors, male



6052-00033

Battery Pack, alkaline, 18V, 36D, ADP/ADV






ADP

\$160

6053-00046

Tool kit for Standard ADP (PP)

ADP





\$20



\$95

6053-00045

Tool kit for Standard ADP



ADP

6053-00087

Tool kit for ADP/ADV fiberwound plastic electronics/battery housing



ARGONAUT-ADV

2885-00103

Power cord (U.S.)

\$10



ARGONAUT-ADV

36-0008-040

40-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor



Argonaut-ADV SPARE PARTS



ARGONAUT-ADV

2885-00125

Power cord kit (International)



ARGONAUT-ADV

36-0009-001

1-m Splitter cable for SL/SW/Triton to external battery housing



ARGONAUT-ADV

19-0022

\$75

Power supply, 15VDC, 40W



ARGONAUT-ADV

36-0008-010

10-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor



ARGONAUT-ADV

6048-08140

Connector, compact 8-pin male wet-pluggable dummy plug (MC-DC-8-MP)



ARGONAUT-ADV

6048-95010

Locking Sleeve for compact wet-pluggable connector, female



\$20

ARGONAUT-ADV

6052-00050

Battery Pack, alkaline, 10.5V, 21C, Triton/Argonaut-ADV



\$120

ARGONAUT-ADV

AK2

Zinc anode with hardware, ADV with 1/2 inch stem (10 MHz ADV/ Triton/Argonaut-ADV)

\$45



ARGONAUT-ADV

6053-00175

Tool kit for Argonaut-ADV/Triton-ADV



\$75

ARGONAUT-XR 2885-00103

Power cord (U.S.)



\$10

Argonaut-XR SPARE PARTS



ARGONAUT-XR

2885-00125

Power cord kit (International)



\$35

ARGONAUT-XR

19-0022

Power supply, 15VDC, 40W

\$75



ARGONAUT-XR

36-0015-010

10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor





ARGONAUT-XR

36-0015-040

40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



ARGONAUT-XR

36-0015-070

70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



ARGONAUT-XR

Connector, 8-pin male wet plug-

gable dummy plug (DC-8-MP)

\$1340

6048-08100

\$130

ARGONAUT-XR

36-0015-100

\$1715

100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



ARGONAUT-XR

6048-95000

\$30

Locking Sleeve for standard wet-pluggable connectors, male



ARGONAUT-XR

36-0051-001

1-m Splitter cable for Argonaut-XR with external battery housing



ARGONAUT-XR

Battery Pack, alkaline, 12V, 24D,

ARGONAUT-XR

6053-00067

Toolkit for XR

ARGONAUT-XR

6053-00068

\$125

Tool kit for XR with external battery case



\$120

6052-00051

XR/SL/Triton



\$80



ARGONAUT-XR

7371-00125

\$60

Mounting plate, Argonaut-XR and old-style Argonaut-SL, without battery




ARGONAUT-XR

7371-00126

Mounting plate for Argonaut-XR with external battery housing

\$125





CASTAWAY-CTD

28-0096

Stylus Kit. Includes stylus and lanyard



CASTAWAY-CTD

28-0097

Jacket Kit. Includes Cast-Away-CTD jacket and (1) caribiner



CASTAWAY-CTD

28-0098

Maintenance Pack. Includes cleaning brush, lubricant, o-ring



CASTAWAY-CTD

40-0011

\$70

Bluetooth adapter, USB



CASTAWAY-CTD

400309

CastAway-CTD plastic shipping case



CASTAWAY-CTD

400312

Caribiner



FlowTracker SPARE PARTS

FlowTracker2

SPARE PARTS

FLOWTRACKER1

8004-80010

2-m data and power cable (spare/ replacement cable for FlowTracker)



FLOWTRACKER1

6047-00132

Wading rod mounting bracket for FlowTracker keypad/display unit (requires wading rod to be equipped with top mounting post or adapter)

\$185



ELOWIDACKEDS

FT2-MR2

2-piece top-setting wading rod, 1.2-m, metric increments in cm; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic shipping case

\$3630



FLOWTRACKER:

FT2-ER

2-piece top-setting wading rod, 4-ft, English increments in tenths of ft; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic case



FLOWTRACKER2

FT2-MR

2-piece top-setting wading rod, 1.2-m, metric increments in cm; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic shipping case



FLOWTRACKER

24-0066

Wading rod mounting bracket for FlowTracker ADV sensor, for SonTek round wading rod



ELOWTRACKER:

24-0313

Plastic shipping case for FlowTracker2



24-0314

Plastic shipping case for FlowTracker2 with 1.2-m/4-ft wading rod



24-0324

Wading rod offset mounting bracket for FlowTracker ADV Sensor, for hex-shaped wading



28-0137

Battery holder, 8 AA cells (for Handheld Display Unit)



\$60

28-0146

Wading rod mounting clamp, FlowTracker2 Handheld Display



28-0148

Wading rod offset mounting bracket for FlowTracker ADV sensor, for 20-mm universal wading rod



28-0149

20-mm universal wading rod adapter for the FlowTracker2 Handheld Display unit wading rod mounting clamp (P/N 28-0146)



31-0033

Cable, USB to MicroUSB, 6-ft



36-0039-001

1.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable



36-0039-003

3.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable



36-0039-008

8.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable



PCM1 & ORIGINAL HYDROBOARD

DGPS / RTK GPS antenna

36-0049

Splitter cable, for connecting FlowTracker2 probe assembly to computer and power supply



\$915

PCM1 & ORIGINAL HYDROBOARD

10-0168

900 MHz radio antenna



PCM1

PCM1 & ORIGINAL HYDROBOARD

10-0254

\$100

Bluetooth radio with serial adapter



10-0147



\$35

PCM1 & ORIGINAL HYDROBOARD

Battery Pack, Rechargeable NiMH,

14.4V, RiverSurveyor M9/S5 and

PCM1 & ORIGINAL HYDROBOARD

19-0002

Connector, modified compact 8-pin male wet pluggable dummy plug (modified MCDC-8-MP)



PCM1 & ORIGINAL HYDROBOARD

10-0255

Antenna, for Bluetooth radio with serial adapter





\$130

19-0001

HydroSurveyor

PCM1 & ORIGINAL HYDROBOARD

20-0040

RTK GPS base station radio antenna extension cable





24-0032

RiverSurveyor S5/M9 GPS antenna support rod mounting bracket



PCM1 & ORIGINAL HYDROBOARD

31-0007

GPS and RTK GPS antenna cable, right-angle connectors



PCM1 & ORIGINAL HYDROBOARD

20-0048

\$25

\$50

Antenna adapter (TNC to SMA)



PCM1 & ORIGINAL HYDROBOARD

24-0247

Tripod spacer for GPS antenna support rod



PCM1 & ORIGINAL HYDROBOARD

6045-00800

GPS Antenna Support Rod



PCM1 & ORIGINAL HYDROBOARD

20-0075

Replacement/spare fins for Son-Tek Hydroboard. Includes 2 fins and mounting hardware.



PCM1 & ORIGINAL HYDROBOARD

28-0028

Battery Charger for RiverSurveyor M9/S5 and HydroSurveyor NiMH battery pack



PCM1 & ORIGINAL HYDROBOARD

6048-95010

Locking Sleeve for compact wet-pluggable connector, female







DGPS / RTK GPS antenna



RIVER & HYDRO SURVEYOR S5/M9 10-0673 2.4-GHz antenna (2 dBi) \$15

RIVER & HYDRO SURVEYOR S5/M9 10-0696

Battery charger, 16 position, for AA NiMH batteries **RIVER & HYDRO SURVEYOR S5/M9** 10-0697

Rechargeable NiMH AA batteries, package of (16)

\$120



RIVER & HYDRO SURVEYOR S5/M9

19-0011

\$125

П

Power Supply, 18VDC



\$125

19-0017

2.4 GHz USB radio



RIVER & HYDRO SURVEYOR S5/M9

RIVER & HYDRO SURVEYOR S5/M9 20-0235

Right angle adapter, TNC male to TNC female

\$10

RIVER & HYDRO SURVEYOR S5/M9 20-0236

Adapter, SMA female to TNC male

\$10



RIVER & HYDRO SURVEYOR S5/M9

24-0032

RiverSurveyor S5/M9 GPS antenna support rod mounting bracket



RIVER & HYDRO SURVEYOR S5/M9

24-0242

\$25

PCM battery slot endcap



RIVER & HYDRO SURVEYOR S5/M9

24-0246

Radio antenna mounting bracket for use with GPS antenna support rod



RIVER & HYDRO SURVEYOR S5/M9

24-0247

Tripod spacer for GPS antenna support rod



RIVER & HYDRO SURVEYOR S5/M9

28-0110

Battery holder, 8 AA cells



RIVER & HYDRO SURVEYOR S5/M9

31-0020-02

Radio antenna extension cable, 2-ft



DIV/ED 0.1

RIVER & HYDRO SURVEYOR \$5/M9 31-0020-10

Radio antenna extension cable, 10-ft



RIVER & HYDRO SURVEYOR S5/M9

31-0021-02

GPS antenna cable, 2-ft.



RIVER & HYDRO SURVEYOR S5/M9

31-0021-10

GPS antenna cable, 10-ft.



RIVER & HYDRO SURVEYOR S5/M9

36-0000-001

1-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet-pluggable



RIVER & HYDRO SURVEYOR S5/M9

36-0000-010

10-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet-pluggable



RIVER & HYDRO SURVEYOR S5/M9

36-0001-010

10-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9-pin D-sub



\$580



RIVER & HYDRO SURVEYOR S5/M9

36-0001-030

\$840

30-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9-pin D-sub



RIVER & HYDRO SURVEYOR \$5/M9

40-0005

Power cord (U.S.)



RIVER & HYDRO SURVEYOR S5/M9

40-0008

Power cord kit, (International)



\$60

П

SL 1500-3G / SL 3000-3G

19-0012

Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC

\$100



RIVER & HYDRO SURVEYOR S5/M9 6045-00800

GPS Antenna Support Rod



SonTek-SL1500 & SL3000 **SPARE PARTS**



SL 1500-3G / SL 3000-3G

19-0013

Power Supply. Input 100/240VAC, output 12 VDC



SL 1500-3G / SL 3000-3G

24-0273

Mounting plate, SonTek-SL1500-3G/3000-3G



SL 1500-3G / SL 3000-3G

Battery hook-up cable, 5ft (1.5m)

connector

28-0106

Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable

SL 1500-3G / SL 3000-3G



SL 1500-3G / SL 3000-3G

28-0128

Tool Kit, SL1500-3G



SL 1500-3G / SL 3000-3G

36-0040-010

10-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



\$150



31-0015

SL 1500-3G / SL 3000-3G

36-0040-040

40-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SL 1500-3G / SL 3000-3G

36-0040-060

\$820

60-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluqgable to terminal block



gable to terminal block

36-0040-020

SL 1500-3G / SL 3000-3G

20-m power and RS232/SDI-12/

Modbus communications cable,

compatible with the SonTek-IQ

Flow Display, 5-pin male dry-plug-



SL 1500-3G / SL 3000-3G

36-0040-100

100-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SL 1500-3G / SL 3000-3G

36-0043

1-m Splitter cable for SonTek-SL1500-3G/3000-3G to external battery housing



Argonaut-SL500 (SonTek-SL500) SPARE PARTS



SL 500

19-0022

Power supply, 15VDC, 40W



2885-00103

Power cord (U.S.)



SL 500

Power cord kit (International)

2885-00125

\$35



\$75



\$10



SL 500

36-0003-010

10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub



SL 500

36-0003-040

40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub



SL 500

36-0003-070

70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub



SL 500

36-0003-100

100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub



SL 500

wet-pluggable connector, female

Locking Sleeve for compact

SL 500

36-0009-001

1-m Splitter cable for SL/SW/Triton to external battery housing



SL 500

6048-08140

Connector, compact 8-pin male wet-pluggable dummy plug (MC-DC-8-MP)



SL 500

7371-00151

Mounting plate for SL500 (without external battery housing)

\$125



SL 500

6052-00051

Battery Pack, alkaline, 12V, 24D, XR/SL/Triton



\$120







6048-95010

SL 500

7371-00152

Mounting plate for SL500 and external battery housing



\$125



19-0012

Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC.



SONTEK IC

19-0013

Power Supply. Input 100/240VAC, output 12 VDC



SONTEK IO

28-0091

\$69

SonTek IQ Spare Parts Kit. Mounting brackets, 8 mounting bracket screws, two 5-pin and two 3-pin connectors for the SonTek-IQ cable adaptor.



28-0093

Tool Kit, SonTek-IQ systems



CONTEKIO

28-0106

\$100

Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable connector



SONTEK IO

31-0015

Battery hook-up cable, 5ft (1.5m)



SONTEK IC

36-0040-010

10-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SONTEK IQ

36-0040-020

20-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SONTEK IQ

36-0040-040

40-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SONTEK IO

36-0040-060

60-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SONTEK IO

36-0040-100

100-m power and RS232/SDI-12/ Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



Questions regarding this listing or couldn't find what you are looking for?

We are here to help!

Please contact Customer Support at <u>orders@sontek.com</u> or +1.858.546.8327 ext. 132 or 180.



Founded in 1992 and advancing environmental science globally, SonTek manufactures acoustic Doppler instrumentation for water velocity measurement in oceans, rivers, lakes, harbors, canals, estuaries, industrial pipes and laboratories. SonTek's sophisticated and proprietary technology serves as the foundation for some of the industry's most trusted flow data collection systems. SonTek is headquartered in San Diego, California, and is a brand of Xylem Inc.

SonTek 9940 Summers Ridge Road San Diego CA 92121 Tel +1.858.546.8327 Fax +1.858.546.8150 www.sontek.com

YSI, Inc. 1700/1725 Brannum Lane Yellow Springs, Ohio 45387 Tel +1.937.767.7241 Fax +1.937.767.9353 www.ysi.com Xylem, Inc. 1133 Westchester Avenue White Plains, NY 10604 Tel +1.914.323.5700 Fax +1.914.323.5800 www.xyleminc.com www.sontek.com



© 2019 Xylem, Inc. All rights reserved. Specifications and pricing are subject to change without notice. \$29-01-1119